

Package: CNID (via r-universe)

September 22, 2026

Type Package

Title Get Basic Information from Chinese ID Number

Version 2.1.1

Maintainer Xinyuan Chu <chuxinyuan@outlook.com>

Date 2025-04-11 17:01:48 UTC

Description The Chinese ID number contains a lot of information, this package helps you get the region, date of birth, age, age based on year, gender, zodiac, constellation information from the Chinese ID number.

License MIT + file LICENSE

URL <https://github.com/chuxinyuan/cnid>

BugReports <https://github.com/chuxinyuan/cnid/issues>

Depends R (>= 3.0.0)

RoxygenNote 7.3.2

Suggests testthat (>= 2.1.0)

Encoding UTF-8

LazyData true

Repository <https://chuxinyuan.r-universe.dev>

Date/Publication 2025-04-11 17:07:47 UTC

RemoteUrl <https://github.com/chuxinyuan/cnid>

RemoteRef HEAD

RemoteSha a8199c93296c244d7dc1f01f6fb5bbdc0c167081

Contents

age	2
age_by_year	3
birth_date	3
check_id	4

2

age

cnid_info

convert18

cstl

gender

leap_year

mdays

region

ydays

zodiac

Index

5

5

6

7

7

8

8

9

10

11

age	<i>Get age information from ID number</i>
-----	---

Description

Get age information from ID number, to the day.

Usage

age(id)

Arguments

id A vector of ID numbers.

Value

Age vector obtained from ID numbers.

Examples

```
id = c(
  "653127198503161793",
  "652801197305161555",
  "130206202202291545",
  "110101841125178",
  "12345678",
  "65312a198204181793"
)
age(id)
```

age_by_year	<i>Get age information from ID number</i>
-------------	---

Description

Get age information from ID number, only by year, not the specific date.

Usage

```
age_by_year(id)
```

Arguments

id	A vector of ID numbers.
----	-------------------------

Value

Age vector obtained from ID numbers.

Examples

```
id = c(
  "653127198503161793",
  "652801197305161555",
  "130206202202291545",
  "110101841125178",
  "12345678",
  "65312a198204181793"
)
age_by_year(id)
```

birth_date	<i>Get date of birth information from ID number</i>
------------	---

Description

Get date of birth information from ID number.

Usage

```
birth_date(id)
```

Arguments

id	A vector of ID numbers.
----	-------------------------

Value

Date of birth vector obtained from ID numbers.

Examples

```
id = c(
  "653127198503161793",
  "652801197305161555",
  "130206202202291545",
  "110101841125178",
  "12345678",
  "65312a198204181793"
)
birth_date(id)
```

check_id

Check whether the ID number is valid

Description

Check whether the ID number is valid.

Usage

```
check_id(id)
```

Arguments

id A vector of ID numbers.

Value

A vector of TRUE or FALSE.

Examples

```
id = c(
  "653127198503161793",
  "652801197305161555",
  "130206202202291545",
  "110101841125178",
  "12345678",
  "65312a198204181793"
)
check_id(id)
```

`cnid_info`*Get full information from ID number*

Description

Get full information from ID number.

Usage

```
cnid_info(id)
```

Arguments

`id` A vector of ID numbers.

Value

A data frame about date of birth, age, gender, etc. obtained from ID number.

Examples

```
id = c(
  "653127198503161793",
  "652801197305161555",
  "130206202202291545",
  "110101841125178",
  "12345678",
  "65312a198204181793"
)
cnid_info(id)
```

`convert18`*Convert the 15 Digits ID Number to 18 Digits*

Description

Convert the 15 Digits ID Number to 18 Digits.

Usage

```
convert18(id)
```

Arguments

`id` A vector of ID numbers.

Value

The corresponding 18 digits ID number.

Examples

```
id = c(
  "653127198503161793",
  "652801197305161555",
  "130206202202291545",
  "110101841125178",
  "12345678",
  "65312a198204181793"
)
convert18(id)
```

cstl

Get constellation information from ID number

Description

Get constellation information from ID number.

Usage

```
cstl(id)
```

Arguments

id A vector of ID numbers.

Value

Constellation vector obtained from ID numbers.

Examples

```
id = c(
  "653127198503161793",
  "652801197305161555",
  "130206202202291545",
  "110101841125178",
  "12345678",
  "65312a198204181793"
)
cstl(id)
```

`gender`*Get gender information from ID number*

Description

Get gender information from ID number.

Usage

```
gender(id)
```

Arguments

`id` A vector of ID numbers.

Value

Gender vector obtained from ID numbers.

Examples

```
id = c(
  "653127198503161793",
  "652801197305161555",
  "130206202202291545",
  "110101841125178",
  "12345678",
  "65312a198204181793"
)
gender(id)
```

`leap_year`*Calculate whether a given year is a leap year*

Description

Calculate whether a given year is a leap year.

Usage

```
leap_year(year)
```

Arguments

`year` A given year, vectorization parameter passing is supported.

Value

TRUE or FALSE. Return TRUE if it is a leap year, FALSE otherwise.

Examples

```
leap_year(2024)
```

mdays	<i>Calculate the number of days in a given year and month</i>
-------	---

Description

Calculate the number of days in a given year and month.

Usage

```
mdays(year, month)
```

Arguments

- | | |
|-------|--|
| year | A given year. |
| month | A given month, vectorization parameter passing is supported. |

Value

Days in a given year and month.

Examples

```
mdays(2025, 1:12)
```

region	<i>Get region information from ID number</i>
--------	--

Description

Get region information from ID number.

Usage

```
region(id)
```

Arguments

- | | |
|----|-------------------------|
| id | A vector of ID numbers. |
|----|-------------------------|

Value

Region vector obtained from ID numbers.

Examples

```
id = c(
  "653127198503161793",
  "652801197305161555",
  "130206202202291545",
  "110101841125178",
  "12345678",
  "65312a198204181793"
)
region(id)
```

ydays

Calculate the number of days in a given year

Description

Calculate the number of days in a given year.

Usage

```
ydays(year)
```

Arguments

year A given year, vectorization parameter passing is supported.

Value

Days in a given year.

Examples

```
ydays(2025)
```

`zodiac`*Get zodiac information from ID number*

Description

Get zodiac information from ID number.

Usage

```
zodiac(id)
```

Arguments

`id` A vector of ID numbers.

Value

Zodiac vector obtained from ID numbers.

Examples

```
id = c(
  "653127198503161793",
  "652801197305161555",
  "130206202202291545",
  "110101841125178",
  "12345678",
  "65312a198204181793"
)
zodiac(id)
```

Index

age, [2](#)
age_by_year, [3](#)

birth_date, [3](#)

check_id, [4](#)
cnid_info, [5](#)
convert18, [5](#)
cst1, [6](#)

gender, [7](#)

leap_year, [7](#)

mdays, [8](#)

region, [8](#)

ydays, [9](#)

zodiac, [10](#)